






ADVANCED
VETERINARY MEDICAL IMAGING

3047 Edinger Ave, Tustin CA 92780




Directions:


From the North:

Proceed South on the  to Jamboree Rd. Exit on Jamboree Rd and turn left. Proceed 2 1/2 miles to Edinger Ave. You must be in the right hand lane to exit Jamboree at Edinger. Turn left onto Edinger Ave. Proceed 1/4 mile to Jamboree Plaza. Turn right onto Jamboree Plaza. Proceed approximately 100 yards. Before the entrance to the Metrolink parking lot, turn right and immediately angle left. Our facility is in the back of the complex across from the Metrolink parking area at 3047 Edinger Ave.

OR

Proceed South on the  to Jamboree Rd. Exit on Jamboree Rd and turn right. Proceed 1/2 mile to Edinger Ave. Turn right onto Edinger Ave. Proceed 1/4 mile to Jamboree Plaza. Turn right onto Jamboree Plaza. Proceed approximately 100 yards. Before the entrance to the Metrolink parking lot, turn right and immediately angle left. Our facility is in the back of the complex across from the Metrolink parking area at 3047 Edinger Ave.

From the South:

Proceed North on the  to Jamboree Rd. Exit on Jamboree Rd and turn left. Proceed 1 mile to Edinger Ave. Turn right onto Edinger Ave. Proceed 1/4 mile to Jamboree Plaza. Turn right onto Jamboree Plaza. Proceed approximately 100 yards. Before the entrance to the Metrolink parking lot, turn right and immediately angle left. Our facility is in the back of the complex across from the Metrolink parking area at 3047 Edinger Ave.

Please note that there are numerous different veterinary facilities within our business complex. To avoid unnecessary delays in service, please confirm our business name and address upon your arrival.



Hyperthyroid Cat - New Patient Questionnaire

Please complete the following questionnaire and **bring with you** for your appointment.

- 1). When was your cat first diagnosed as hyperthyroid? _____
- 2). Has your cat had surgery for hyperthyroidism? YES NO
- 3). Has your cat been treated with methimazole? YES NO
- 4). Has your cat been treated with Hills y/d? YES NO
- 5.) Please list **any** drugs that your cat has received within the past year.

Drug	duration of administration	date last administered

5). Previous medical history:

Disease	date diagnosed	treatment performed

6). What type(s) of foods do you feed your cat? (Please list brands and specific varieties if known.)

7). Has your cat displayed any of the following symptoms? (Please list duration of symptoms if applicable.)

- | | |
|---------------------------------|-------------------------|
| aggressive behavior _____ | nervousness _____ |
| decreased appetite _____ | panting _____ |
| depression _____ | poor coat quality _____ |
| diarrhea _____ | seeks cool areas _____ |
| foul smelling stool _____ | tremors _____ |
| increased appetite _____ | vomiting _____ |
| increased urination _____ | weakness _____ |
| increased water consumpt. _____ | weight loss _____ |



Thank you for scheduling an appointment to have your cat treated with radioiodine at our facility. In an effort to ensure the optimal treatment experience for both you and your cat, please observe the following instructions.

1.) In general we request that you please discontinue methimazole (Tapazole) administration for 1 week before your cat's appointment. However, cats with severe thyroid hormone elevations ($T_4 \geq 20 \mu\text{g/dl}$) or cats on chronic (≥ 1 year) methimazole therapy for hyperthyroidism may suffer significant cardiovascular decompensation upon withdrawal of methimazole. To avoid the potential for possibly life threatening cardiovascular decompensation, cats managed with methimazole in excess of 1 year, or cats with total T_4 levels in excess of $20 \mu\text{g/dl}$ should discontinue methimazole administration **only 1 day prior** to their appointment for radioiodine therapy. If your cat is currently taking a diuretic (e.g. furosemide) for symptoms of congestive heart failure, please consult with your DVM before discontinuing methimazole administration. Most medications other than methimazole should be continued up until admission for radioiodine therapy. All adjustments in patient medication should be made under the direct supervision of a licensed veterinarian familiar with the care of hyperthyroidism and its potential complications.

2.) If your cat is on other medications that you want us to administer to her during her hospitalization for radioiodine therapy, please bring these medications with you. Please provide any medications you want us to administer in their original, labeled prescription vials as provided to you by your veterinarian or the pharmacy that filled the prescription. This will ensure that the correct medication and dosage are administered. We do NOT administer medications provided in plastic baggies, zip lock bags or other similar containers. Please do not bring dietary supplements to add to your cat's food as these can decrease palatability and result in reduced food consumption during her stay with us. You can resume administration of any dietary supplements once your cat is back at home.

3.) If your referring veterinarian provided you with copies of current laboratory results or diagnostic imaging studies (including radiographs or ultrasounds) for your cat, please bring these with you to your cat's admission appointment.

4.) If you have questions regarding your cat's treatment and want to get additional information before your appointment, please visit our web page. You may find the following link useful:

<http://www.avmi.net/resources/client-resources/hyperthyroidism/>

5.) Small personal items including cat toys and blankets may be provided for us to include in your cat's cat cottage. Please be advised that these items will **not** be returned to you at discharge.

*please note that we cannot accept large items such as pet beds, or stuffed animals due to space restrictions.